




## MAIN BOARD 8M Connection Method and Set up




### Segment Window

Window for current mode and remote control set up



### Remote Receiver Sensor Connection(F, 7 MODE)



### Motor Connection



### IR SENSOR (C MODE)



## Main board operating mode(ID) set up method

---

- 1** Push the Power Switch.  
Power On.
- 2** Push the Mode Set Up Switch.  
Mode Changed.
- 3** Stop at the mode you want to select.  
Segment display blinks 3 times.
- 4** Mode Setup complete.  
Complete.


## Main board channel set up method

---

- 1** Turn off using the Power Switch.
- 2** Turn on with the Power switch while holding the mode switch.
- 3** The number on the display represents the current channel.
- 4** Push the mode switch again to change the channel.
- 5** The channel will set after waiting 2 seconds.  
→ Channel setting complete after the display blinks.

# Wired Remote controller

---




## SEPARATING TOOL MANUAL

---

### Example 1

Match the holes in the tool with the stub in the cells to disassemble



Example 1

Example 2

Example 3


### Example 2

Match the stubs in the tool with the holes in the cells to disassemble

### Example 3

Match the holes and stubs in the tool to the cells to disassemble


# wireless remote controller



- 1 Turn off using the Power switch
- 2 Turn on with the Power switch while holding the mode switch
- 3 The number on the display represents the current channel.
- 4 While holding the mode buttons, press 1 or 3 button to change the mode.
- 5 press 4 button to save the mode.



# Submarine




## Submarine parts list | Let's build this model

Diamond H8 (4)	Diamond H6 (2)	Diamond V8 (6)	Diamond V6 (6)	Diamond V8 (1)	Diamond V6 (1)	Rubi 8 (2)	Rubi 7 (2)	Rubi 4 (4)	Rubi 6 (12)	Rubi 2 (10)	Rubi 0 (14)	Mini 2 (8)
Mini 2 (4)	Mini 1 (1)	Curve (6)	Curve (6)	Triangle (3)	Link (7)	Sawtooth 36 (4)	Sawtooth 12 (2)	Middle Connector (4)	Vertical Connector (1)	Off-Road Wheel (2)	A23 (2)	A64 (3)
6V Battery Case (1)	Main board BM (1)	DC Motor (2)	Connector Jack (1)	wired remote controller(1)								

1 ★★★

1-1







-  ×2
-  ×4
-  ×4




Make two of the same parts

1-2




-  ×5
-  ×4
-  ×1
-  ×2
-  ×2
-  ×2


1-3




1-4



1-5



1-6



-  ×2
-  ×2


2 ★★★

2-1






-  ×1
-  ×2
-  ×2
-  ×2


2-2



3 ★★★


3-1

-  ×2
-  ×2
-  ×2



Make two of the same parts

3-2




4 ★★★

4-1

-  ×6
-  ×3







4-2




5\*\*\*

5-1

-  x3
-  x2
-  x2
-  x2






5-2



6\*\*\*


6-1

-  x2
-  x2




6-2




-  x1
-  x1
-  x2
-  x1
-  x1




6-3






6-4


-  x2
-  x1
-  x2






6-5


-  ×1
-  ×1
-  ×2







6-6




6-7




6-8

-  ×2
-  ×2
-  ×2
-  ×1




6-9

-  ×1








6-10



7\*\*\*\*


7-1

- ①  ×1
- ②  ×1
- ③  ×1
-  ×3









7-2

-  ×6
-  ×1




7-3


-  ×1
  -  ×1
  -  ×2
  -  ×2
  -  ×1
- A64




7-4



complete



Mode  
F



-  ×1
-  ×1
-  ×1
-  ×1